



TECHNICKÝ A ZKUŠEBNÍ ÚSTAV STAVEBNÍ PRAHA, s.p.
Technical and Test Institute for Construction Prague, SOE

Akreditovaná zkušební laboratoř, Autorizovaná osoba, Notifikovaná osoba, Oznámený subjekt, Subjekt pro technické posuzování, Certifikační orgán, Inspekční orgán • Accredited Testing Laboratory, Authorized Body, Notified Body, Technical Assessment Body, Certification Body, Inspection Body • Prosecká 811/76a, 190 00 Praha 9 - Prosek, Czech Republic

Notified Body 1020

CERTIFICATE
OF CONSTANCY OF PERFORMANCE

No. 1020 – CPR – 010044999

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR) and Commission Delegated Regulation (EU) No 568/2014, this certificate applies to the construction product:

Thermal insulation products for buildings - Factory made mineral wool (MW) products

type / variation: see in Annex No.1 to this certificate

placed on the market under the name or trade mark of

RBS RAVAGO İNŞAAT YALITIM ÜRÜNLERİ ANONİM ŞİRKETİ

Address: Tatlısu Mahallesi Arif Ay Sk. No: 6/2 Ümraniye, İSTANBUL / TURKEY

and produced in the manufacturing plant:

ORGANİZE SANAYİ BÖLGESİ 20. CAD. NO:54, 38070 KAYSERİ, TURKEY

verification of constancy of performance described in Annex ZA of the standard

EN 13162:2012+A1:2015

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the

constancy of performance of the construction product.

This certificate was first issued on **December 6th, 2021** and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

The stamp of the Notified Body 1020
Prague, 6th December, 2021




Ing. Iveta Jiroutová
Deputy manager of the Notified Body



TECHNICKÝ A ZKUŠEBNÍ ÚSTAV STAVEBNÍ PRAHA, s.p.
Technical and Test Institute for Construction Prague, SOE

Akreditovaná zkušební laboratoř, Autorizovaná osoba, Notifikovaná osoba, Oznámený subjekt, Subjekt pro technické posuzování, Certifikační orgán, Inspekční orgán • Accredited Testing Laboratory, Authorized Body, Notified Body, Technical Assessment Body, Certification Body, Inspection Body • Prosecká 811/76a, 190 00 Praha 9 - Prosek, Czech Republic

Annex no. 1 to the Certificate no. 1020-CPR-010-044999

Glasswool products

Thermal insulation products for buildings - Factory made mineral wool (MW) products according EN 13162:2012+A1:2015:

Type	EN 13162:2012+A1:2015 products		Density [kg/m ³]	Thickness [mm]	Reaction to fire [class]
blanket	NON COATED	ravatherm	9	50	A1
		ravatherm	9	80	A1
		ravatherm	9	100	A1
		ravatherm	12	50	A1
		ravatherm	12	100	A1
board	NON COATED	ravatherm	16	25	A1
		ravatherm	16	50	A1
		ravatherm	24	25	A1
		ravatherm	24	50	A1

The stamp of the Notified Body 1020
Prague, 6th December, 2021




Ing. Iveta Jiroutová
Deputy manager of the Notified Body